



Material Name:

# Claremat 1200

Complies with OSHA 29 CFR 1910.1200

Date Prepared: 10/8/02  
Date Revised: 09/13/06  
Reviewed without revision  
09/21/2015

Material Safety Data Sheet  
Document ID Number:

# 1002

Revision #: 2

## Section 1: Chemical Product and Company Information

### Company Information:

Claremont Corporation  
35 Winsome Drive  
Durham, CT 06422  
Information Phone Number: (800) 222-4448  
Emergency Phone Number: (860) 349-4499

### Product Information:

Manufacturer: Claremont Corporation  
Product Description: Glass fiber blanket  
Product Category: Insulation

## Section 2: Composition / Information on Ingredients

### Hazardous Components:

Hazardous Components (Specify Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (if applicable)
Fibrous glass (textile grade)	Not listed	Not listed	N/A	98.8%

## Section 3: Physical / Chemical Characteristics

<b>Boiling Point:</b>	N/A	<b>Solubility in Water:</b>	Negligible
<b>Specific Gravity (H2O=1):</b>	Approx. 2.5	<b>Appearance and Odor:</b>	White solid. No distinctive odor.
<b>Vapor Pressure (mm Hg.):</b>	N/A		
<b>Melting Point:</b>	1545 F		
<b>Vapor Density (AIR=1):</b>	N/A		
<b>Evaporation Rate (Butyl Acetate=1):</b>	N/A		

## Section 4: Fire and Explosion Hazard Data

<b>Flash Point (Method Used):</b>	N/A
<b>Flammable Limits:</b>	N/A
<b>LEL:</b>	N/A
<b>UEL:</b>	N/A
<b>Extinguishing Media:</b>	Water / dry powder or foam needing for packaging only.
<b>Special Fire Fighting Procedures:</b>	None
<b>Unusual Fire and Explosion Hazards:</b>	In a sustained fire, combustible products may be release. These products include carbon dioxide, carbon monoxide, and low molecular weight hydrocarbons.

## Section 5: Reactivity Data

<b>Stability:</b>	Stable
<b>Conditions to Avoid:</b>	None
<b>Incompatibility (Materials to Avoid):</b>	None
<b>Hazardous Decomposition or Byproducts:</b>	None
<b>Hazardous Polymerization:</b>	None

## Section 6: Health Hazard Data

**Rout(s) of Entry:** Inhalation, Skin, Eye.

**Health Hazards (Acute and Chronic):** Direct skin contact with fibrous glass or it's dust may cause mechanical irritation and transitory dermatitis. Breathing of fibers may cause Mechanical irritation of the mouth, nose and throat.

**Carcinogenicity:** NTP?  IARC Monographs?  OSHA Regulated?

**Signs and Symptoms of Exposure:** N/A

**Medical Conditions Generally Aggravated by Exposure:** None known

**Emergency and First Aid Procedures:** Inhalation: Move to fresh air. Skin: flush with ample cool water followed by washing with mild soap. Eyes: Flush with flowing water for 15 minutes.

## Section 7: Precautions for Safe Handling and Use

**Steps to be Taken in Case Material is Released or Spilled:** Dust or loose fibers can be vacuumed or swept with the aid of a dust suppressant. Dispose according to local, state, and federal laws. Material is not regulated under RCRA Hazardous waste regulations.

**Waste Disposal Method:** N/A

**Precautions to be Taken in Handling and Storing:** Store in dry area. Not regulated by DOT.

**Other Precautions:** N/A

## Section 8: Control Measures

**Respiratory Protection (Type):** N/A

**Ventilation:**

Local Exhaust	<div style="border: 1px solid black; padding: 2px;">Normal area ventilation is sufficient in most cases to keep dust/fiber levels below TLV.</div>	Mechanical	<div style="border: 1px solid black; padding: 2px;">None</div>
Special	<div style="border: 1px solid black; padding: 2px;">None</div>	Other	<div style="border: 1px solid black; padding: 2px;">None</div>

**Protective Gloves:**

Gloves may be required for some workers with sensitive skin or contact dermatitis.

**Eye Protection:**

Not required. Suggest as good safety practice whenever use of product releases fibers.

**Other Protective Clothing:**

None

**Work / Hygienic Practices:**

N/A