



Material Name:

1925 Aluminized

Complies with OSHA 29 CFR 1910.1200

Date Prepared: 11/6/02
Date Revised: 08/08/06

Review without revision
Reviewed 06/15/16

Material Safety Data Sheet
Document ID Number:

1029

Revision #: 1

Section 1: Chemical Product and Company Information

Company Information:

Claremont Corporation
35 Winsome Drive
Durham, CT 06422
Information Phone Number: (800) 222-4448
Emergency Phone Number: (860) 349-4499

Product Information:

Manufacturer: Claremont Corporation
Product Description: Claretex fabric with foil laminated with a fire
Retardant thermoplastic adhesive
Product Category: Facing / Lagging

Section 2: Hazard Ingredients / Identity Information

Hazardous Components:

Hazardous Components (Specify Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (if applicable)
Fibrous glass	N/A	10 mg / m3	N/A	N/A

Section 3: Physical / Chemical Characteristics

Boiling Point:	N/A	Solubility in Water: Negligible
Specific Gravity (H2O=1):	2.54	
Vapor Pressure (mm Hg.):	N/A	
Melting Point:	1000° F.	
Vapor Density (AIR=1):	N/A	
Evaporation Rate (Butyl Acetate=1):	N/A	
Appearance and Odor:		Tan color one side / Aluminum other Side. No odor.

Section 4: Fire and Explosion Hazard Data

Flash Point (Method Used):	250 °C. by TOC.
Flammable Limits:	N/A
LEL:	N/A
UEL:	N/A
Extinguishing Media:	Water, CO2, dry chemical.
Special Fire Fighting Procedures:	None known.
Unusual Fire and Explosion Hazards:	None known.

Section 5: Reactivity Data

Stability:	Stable
Conditions to Avoid:	None known.
Incompatibility (Materials to Avoid):	Strong Oxidizing agents.
Hazardous Decomposition or Byproducts:	CO, CO ₂ , Hydrogen Chloride.
Hazardous Polymerization:	Will not occur.

Section 6: Health Hazard Data

Rout(s) of Entry:	Inhalation
Health Hazards (Acute and Chronic):	None known.
Carcinogenicity: NTP? <input type="text" value="Not listed"/> IARC Monographs? <input type="text" value="Not listed"/> OSHA Regulated? <input type="text" value="Not listed"/>	
Signs and Symptoms of Exposure:	Raspy throat, redness & irritation of skin.
Medical Conditions Generally Aggravated by Exposure:	Respiratory illness.
Emergency and First Aid Procedures:	Remove to fresh air. If irritation persists consult a physician.

Section 7: Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled:	Material is solid.
Waste Disposal Method:	Bury in a federal or state approved landfill.
Precautions to be Taken in Handling and Storing:	Use adequate material handling equipment.
Other Precautions:	None known.

Section 8: Control Measures

Respiratory Protection (Type): Wear a dust mask when cutting this material.

Ventilation:

Local Exhaust

N/A

Mechanical

N/A

Special

N/A

Other

N/A

Protective Gloves:

Cotton gloves.

Eye Protection:

Safety glasses.

Other Protective Clothing:

Wear long sleeves to protect skin from irritation.

Work / Hygienic Practices:

Wash with soap & water after handling.