

MANUFACTURER: THE CLAREMONT COMPANY
PRODUCT TRADE NAME: STYLE 1261 SEWING THREAD (FIL-TEC 11109 TT-16)
Reviewed without Revision 12/22/2017

MATERIAL SAFETY DATA SHEET

=====
SECTION I PRODUCT IDENTIFICATION AND USE
=====

IDENTITY:
MANUFACTURER'S NAME: THE CLAREMONT COMPANY
ADDRESS: 35 Winsome Drive
Durham, CT 06422
EMERGENCY TELEPHONE NO: (860) 349-4499
TELEPHONE NUMBER FOR INFO.: (860) 349-7977
DATE PREPARED: 8/25/99 Reviewed 12/22/2017

=====
SECTION II HAZARDOUS INGREDIENTS/IDENTITY INFORMATION
=====

HAZARDOUS COMPONENTS / CHEMICAL COMPOSITION. FIBROUS GLASS WITH PTFE COATING
MAX. % BY WT.:

CAS#:

OSHA PEL: NONE. THIS PRODUCT DOES NOT MEET THE
DEFINITION OF A HAZARDOUS MATERIAL GIVEN IN
29CFR PART 1910.1200 (OSHA). INFORMATION IS
PROVIDED AS A SERVICE TO OUR CUSTOMER

ACGIH TLV:

=====
SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS
=====

BOILING POINT: N/A
SPECIFIC GRAVITY (H₂O=1): 2.60
VAPOR PRESSURE (mm Hg): N/A
MELTING POINT: N/A
VAPOR DENSITY (AIR = 1):
EVAPORATION RATE: N/A
(BUTYL ACETATE = 1)
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: WHITE OR TAN THREAD OR YARN - NO ODOR
VOC [VOLATILE ORGANIC COMPOUNDS]: NONE

=====
SECTION IV FIRE AND EXPLOSION HAZARD DATA
=====

FIRE HAZARDS/CONDITIONS OF FLAMMABILITY: INCOMBUSTIBLE

FLASH POINT (METHOD USED): N/A

FLAMMABLE LIMITS: N/A

SUITABLE EXTINGUISHING MEDIA: NOT COMBUSTIBLE

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF CONTAINED BREATHING APPARATUS AVOID INHALATION OF SMOKE

UNUSUAL FIRE AND EXPLOSION HAZARDS: THERMAL DECOMPOSITION OF PTFE AT TEMPERATURES GREATER THAN 380⁰ C (716⁰F) WILL EMIT TOXIC & CORROSIVE VAPORS

=====
SECTION V REACTIVITY DATA
=====

STABILITY AND REACTIVITY: YES

CONDITIONS TO AVOID: NONE

MATERIAL TO AVOID: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

=====
SECTION VI HEALTH HAZARD DATA
=====

ROUTE(S) OF ENTRY

1. **INHALATION:** SLIGHT IF FIBROUS GLASS IS RELEASED
2. **SKIN CONTACT:** NO
3. **EYE CONTACT:** FLUSH WITH WATER
4. **INGESTION:** UNLIKELY

CARCINOGEN: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

SIGNS AND SYMPTOMS OF EXPOSURE: SEE HEALTH HAZARDS ABOVE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

HEALTH HAZARDS (ACUTE AND CHRONIC): ACUTE SKIN IRRITATION POSSIBLE FROM GLASS FIBERS

=====
=
SECTION VII HANDLING AND STORAGE
=====

SAFE HANDLING PROCEDURE: NONE

STORAGE REQUIREMENTS: STORE IN DRY PLACE

INCOMPATIBLE MATERIALS: NONE

SPILL RESPONSE / CLEANUP: NONE

=====
SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION
=====

VENTILATION: LOCAL EXHAUST DURING HANDLING

RESPIRATORY PROTECTION: IF SIGNIFICANT EXPOSURE TO DUSTS EXISTS, USE NIOSH/MSHA APPROVED NUISANCE DUST RESPIRATOR.

PROTECTIVE GLOVES: NONE

EYE PROTECTION: SAFETY GLASSES- RECOMMENDED DURING PROCESSING

OTHER PROTECTIVE EQUIPMENT: NO SPECIFIC RECOMMENDATION

=====
SECTION VIII FIRST AID MEASURES
=====

INHALATION: REMOVE TO FRESH AIR. IN ALL CASES SEEK MEDICAL ATTN IF CONDITION PERSISTS.

SKIN CONTACT: WASH WITH SOAP AND WATER

EYE CONTACT: FLUSH WITH WATER

INGESTION: NOT LIKELY TO OCCUR

=====
SECTION IX - WASTE DISPOSAL
=====

HANDLING FOR DISPOSAL: NO SPECIAL HANDLING NOTED

METHODS OF DISPOSAL: DISPOSE IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

end.